

# DRILLS



## PISTOL DRILLS

- From maintenance to very intensive industrial duty
- Hole drilling capacity up to 1/2" (13 mm) diameter in steel
- Extra-support side handle recommended for better handling with larger drilling capacity and higher torque



## CORNER DRILLS

- Ideal for drilling, reaming & tapping
- Hole drilling capacity up to 2" (50 mm) dia. in mild steel, cast iron

## HOW TO SELECT YOUR DRILLS?

**STEP 1**  
**Material**

**STEP 2**  
**Drill bits size**

**STEP 3**

**Tool type**

- ▶ Handle type
- ▶ Duty
- ▶ Reversible or non reversible
- ▶ Chuck capacity / type / brand
- ▶ Speed / stall torque

# Drills

## Pistol drills 1/4"



2,800 RPM



### CP7300RC



2,800 RPM



### CP7300RQCC

#### HIGH COMFORT & LIGHTWEIGHT

#### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip and wings on right & left sides for better operator comfort
- Large teasing trigger and progressive valve allowing more control to start holes
- Handle exhaust allowing the air to flow away from the operator
- Flat back part for better pushing action while drilling and tapping



### CP7300C

Same features as CP7300RC  
but non reversible

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD		VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS.	SOUND POWER	AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.		
<b>CP7300C</b>	<b>8941073013</b>	3,300	0.31	230	1/4	6.4	1.9	2.6	1.41	0.64	6.69	170	-	-	<2,5	-	85	96	1/4	
<b>CP7300RC</b>	<b>8941073011</b>	2,800	0.31	230	1/4	6.4	1.9	2.6	1.48	0.67	7.32	186	-	-	<2,5	-	82	93	1/4	
<b>CP7300RQCC</b>	<b>8941073012</b>	2,800	0.31	230	1/4	6.4	1.9	2.6	1.52	0.69	7.48	190	-	-	<2,5	-	82	93	1/4	

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

# Drills



## CP1014P33

Pistol drills 1/4"

**HIGH TORQUE,  
COMPACT,  
DURABILITY  
& PRECISION**

Compact drills for Industrial production, intensive duty with high durability and operator comfort.

### CP1014P24

Same features as CP1014P33 with 2,400 rpm

### CP1014P45

Same features as CP1014P33 with 4,500 rpm



## FEATURES AND BENEFITS

- High power 0.5hp (375W) with excellent control by teasing throttle handle
- high Ergonomic with compact CP Ergo Wings body, Low Noise and Low vibrations
- High quality 1/4" (6 mm) industrial pistol drill with Jacobs industrial keyed chuck

See accessories page 166

MODEL	PART NUMBER	FREE SPEED	POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD	VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS.	SOUND POWER	AIR INLET	
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.	
CP1014P24	6151580050	2,400	0.5	370	1/4	6.4	3.4	4.6	1.19	0.54	6.3	160	19	9	3.1	2	78	89	1/4
CP1014P33	6151580030	3,300	0.5	370	1/4	6.4	2.6	3.5	1.19	0.54	6.3	160	19	9	-	-	78	89	1/4
CP1014P45	6151580010	4,500	0.5	375	1/4	6.4	2.4	3.2	1.19	0.54	6.3	160	21	10	3	1.4	78	89	1/4

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

# Drills

## Pistol drills 3/8"



3,000 RPM



### CP9285C

#### HIGH COMFORT & LIGHTWEIGHT

##### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip and wings on right & left sides for better operator comfort
- Large teasing trigger and progressive valve allowing more control to start holes
- Handle exhaust allowing the air to flow away from the operator
- Flat back part for better pushing action while drilling and tapping



500 RPM



### CP1014P05

#### HIGH TORQUE, COMPACT, DURABILITY & PRECISION

##### FEATURES AND BENEFITS

- High power 0.5hp (375W) with excellent control by teasing throttle handle
- high Ergonomic with compact CP Ergo Wings body, Low Noise and Low vibrations
- High quality 1/4" (6 mm) industrial pistol drill with Jacobs industrial keyed chuck



2,400 RPM



### CP785

#### DURABILITY AND SMOOTH OPERATION

##### FEATURES AND BENEFITS

- Powerful and efficient motor resists to stalls
- Handle exhaust allowing the air to flow away from the operator

### CP9287C

Same features as CP9285C with keyless chuck

### CP785QC

Same features as CP785 with keyless chuck.

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER	CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD	VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS.	SOUND POWER	AIR INLET	
		rpm	hp		in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.	
CP1014P05	6151580190	500	0.5	370	3/8	10	18.1	24.5	1.41	0.64	7.68	195	19	9	-	-	78	89	1/4
CP9285C	8941092850	3,000	0.62	460	3/8	10	4.1	5.5	2.4	1.09	8.23	209	21	10	<2,5	-	83.7	94.7	1/4
CP9287C	8941092870	3,000	0.62	460	3/8	10	4.1	5.5	2.38	1.08	8.23	209	21	10	<2,5	-	83.7	94.7	1/4
CP785	T022698	2,400	0.5	370	3/8	10	3.1	4.2	2.25	1.02	7.01	178	17	8	<2,5	-	90	101	1/4
CP785QC	T024242	2,400	0.5	370	3/8	10	3.1	4.2	2.25	1.02	7.01	178	12	6	<2,5	-	90	101	1/4

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

# Drills



## CP1117 SERIES

Pistol drills 3/8"

### THE BEST POWER TO WEIGHT RATIO DRILLS



The best power to weight ratio drills for Industrial production, intensive duty with high durability and operator comfort.



### FEATURES AND BENEFITS

- High power 1hp (750W) with excellent control by teasing throttle handle
- high Ergonomic with compact CP Ergo Wings body, Low Noise and Low vibrations
- High quality industrial pistol drill with keyless, without chuck or Jacobs industrial keyed chuck 3/8" (10 mm) to 1/2" (13 mm)

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD		VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.		
CP1117P26 (without chuck)	6151580220	2,600	1.01	750	3/8	10	4.6	6.3	2.18	0.99	7.09	180	29	14	3.6	11.8	83	94	1/4	
CP1117P32 (without chuck)	6151580210	3,200	1.01	750	3/8	10	4	5.4	2.18	0.99	7.09	180	29	14	-	-	83	94	1/4	
CP1117P60 (without chuck)	6151580200	6,000	1.01	750	3/8	10	2.5	3.4	2.18	0.99	7.09	180	29	14	-	-	83	94	1/4	
CP1117P26 (keyless)	6151580140	2,600	1.01	750	3/8	10	4.6	6.3	2.18	0.99	8.27	210	29	14	3.5	11.5	83	94	1/4	
CP1117P32 (keyless)	6151580120	3,200	1.01	750	3/8	10	4	5.4	2.18	0.99	8.27	210	29	14	-	-	83	94	1/4	
CP1117P60 (keyless)	6151580100	6,000	1.01	750	3/8	10	2.5	3.4	2.18	0.99	8.27	210	29	14	-	-	83	94	1/4	
CP1117P26	6151580130	2,600	1.01	750	3/8	10	4.6	6.3	2.18	0.99	7.87	200	29	14	3.6	11.8	83	94	1/4	
 CP1117P26 ATEX	6151580370	2,600	1.01	750	3/8	10	4.6	6.3	4.85	2.2	8.66	220.1	29	14	3.6	11.8	84	95	1/4	
CP1117P32	6151580110	3,200	1.01	750	3/8	10	4	5.4	2.18	0.99	7.87	200	29	14	-	-	83	94	1/4	
 CP1117P32 ATEX	6151580360	3,200	1.01	750	3/8	10	4	5.4	3.17	1.44	8.66	220.1	29	14	-	-	83	94	1/4	
CP1117P60	6151580090	6,000	1.01	750	3/8	10	2.5	3.4	2.18	0.99	7.87	200	29	14	-	-	83	94	1/4	

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

# Drills

## Reversible pistol drills 3/8"



2,100 RPM



### CP9790C

#### HIGH COMFORT & LIGHTWEIGHT

##### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip and wings on right & left sides for better operator comfort
- Large teasing trigger and progressive valve allowing more control to start holes
- Handle exhaust allowing the air to flow away from the operator
- Flat back part for better pushing action while drilling and tapping

### CP9792C

Same features as CP9790C with keyless chuck



2,600 RPM



### CP789R-26

#### REVERSIBLE, HIGH TORQUE & DURABILITY

##### FEATURES AND BENEFITS

- Thermoplastic rubber handle grip for better operator comfort
- Teasing trigger allowing more control to start holes
- Industrial quality Jacobs chuck and gearbox for high durability

### CP789R-42

Same features as CP789R-26 CP789R-26 with 4,200 rpm



2,600 RPM




### CP1114R26

#### REVERSIBLE, DURABLE AND ERGONOMIC

##### FEATURES AND BENEFITS

- High power 0.5hp (410W) with excellent control by teasing throttle handle
- high Ergonomic with compact CP Ergo Wings body, Low Noise and Low vibrations
- High quality ) industrial pistol drill with 3/8" (10 mm) to 1/2" (13 mm) Jacobs industrial keyed capacity chuck
- Versatile with a forward-reverse switch for easier drilling, reaming, tapping.

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER	CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD	VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET	
		rpm	hp		W	in.	mm	ft.lb	Nm	lbs	kg	in.		mm	cfm.				l/s
CP1114R26	6151580330	2,600	0.54	400	3/8	10	4.1	5.5	2.87	1.3	8.86	225	25	12	2.1	6.9	82	93	1/4
 CP1114R26 ATEX	6151580390	2,600	0.55	410	3/8	10	4.1	5.5	3.53	1.6	9.68	245.9	25	12	2.1	6.9	84	95	1/4
CP1114R40	6151580340	4,000	0.54	400	3/8	10	1.3	1.7	2.87	1.3	8.86	225	25	12	1.3	4.3	82	93	1/4
CP789R-26	T025180	2,600	0.43	320	3/8	10	3.1	4.2	2.49	1.13	7.01	178	29	14	<2.5	-	95	106	1/4
CP789R-42	T025198	4,200	0.43	320	3/8	11	1.8	2.5	2.49	1.13	7.01	178	29	14	<2.5	-	96	107	1/4
CP9790C	8941097900	2,100	0.48	360	3/8	10	4.1	5.5	2.43	1.1	9.25	235	-	-	-	-	87.1	98.5	1/4
CP9792C	8941097920	2,100	0.48	360	3/8	10	4.1	5.5	2.43	1.1	9.25	235	-	-	<2.5	-	87.1	98.5	1/4

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

## Pistol drills 1/2"



600 RPM



### CP9288C

#### HIGH COMFORT & LIGHTWEIGHT

##### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip and wings on right & left sides for better operator comfort
- Large teasing trigger and progressive valve allowing more control to start holes
- Handle exhaust allowing the air to flow away from the operator
- Flat back part for better pushing action while drilling and tapping



500 RPM



### CP785H

#### DURABILITY AND SMOOTH OPERATION

##### FEATURES AND BENEFITS

- Powerful and efficient motor resists to stalls
- Handle exhaust allowing the air to flow away from the operator



500 RPM



### CP789HR

#### REVERSIBLE, HIGH TORQUE & DURABILITY

##### FEATURES AND BENEFITS

- Thermoplastic rubber handle grip for better operator comfort
- Teasing trigger allowing more control to start holes
- Industrial quality Jacobs chuck and gearbox for high durability

### CP9286C

Same features as CP9288C with keyed chuck

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD		VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS.	SOUND POWER	AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.		
CP785H	T024134	500	0.5	370	1/2	13	11.4	15.4	3	1.36	7.76	197	12	6	<2.5	-	96	107	1/4	
CP789HR	T025165	500	0.43	320	1/2	13	15.6	21.1	3.24	1.47	7.99	203	29	14	<2.5	-	99	110	1/4	
CP9286C	8941092860	600	0.48	360	1/2	13	16.2	22	3.28	1.49	9.84	250	23	11	<2.5	-	84.2	95.2	1/4	
CP9288C	8941092880	600	0.48	360	1/2	13	16.2	22	3.2	1.45	9.84	250	23	11	<2.5	-	84.2	95.2	1/4	

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

# Drills



## CP1117P05

Pistol drills 1/2"

### THE BEST POWER TO WEIGHT RATIO DRILLS


The best power to weight ratio drills for Industrial production, intensive duty with high durability and operator comfort.



### FEATURES AND BENEFITS

- High power 1hp (750W) with excellent control by teasing throttle handle
- high Ergonomic with compact CP Ergo Wings body, Low Noise and Low vibrations
- High quality industrial pistol drill with keyless, without chuck or Jacobs industrial keyed chuck 3/8 '(10 mm) to 1/2' (13 mm)

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER	CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD	VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS.	SOUND POWER	AIR INLET	
		rpm	hp		W	in.	mm	ft.lb	Nm	lbs	kg	in.		mm	cfm.				l/s
CP1117P05	6151580170	500	1.01	750	1/2	13	22.1	30	3.37	1.53	7.99	203	29	14	2.7	8.9	83	94	1/4
CP1117P05 (keyless)	6151580180	500	1.01	750	1/2	13	22.1	30	3.37	1.53	7.99	203	29	14	2.7	8.9	83	94	1/4
CP1117P05 (without chuck)	6151580240	500	1.01	750	1/2	13	22.1	30	3.37	1.53	7.99	203	29	14	2.7	8.9	83	94	1/4
 CP1117P05 ATEX	6151580350	500	1.01	750	1/2	13	22.1	30	4.96	2.25	10.56	268.3	29	14	2.7	8.9	84	95	1/4
CP1117P09	6151580150	900	1.01	750	1/2	13	14.2	19.3	2.18	0.99	7.99	203	29	14	3.7	12.1	83	94	1/4
CP1117P09 (keyless)	6151580160	900	1.01	750	1/2	13	14.2	19.3	2.18	0.99	7.99	203	29	14	3.7	12.1	83	94	1/4
CP1117P09 (without chuck)	6151580230	900	1.01	750	1/2	13	14.1	19.1	2.18	0.99	7.99	203	29	14	3.7	12.1	83	94	1/4

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

## Reversible Pistol drills 1/2"



840 RPM



### CP9789C

#### HIGH COMFORT & LIGHTWEIGHT

##### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip and wings on right & left sides for better operator comfort
- Large teasing trigger and progressive valve allowing more control to start holes
- Handle exhaust allowing the air to flow away from the operator
- Flat back part for better pushing action while drilling and tapping



500 RPM



### CP1114R05

#### REVERSIBLE, DURABLE AND ERGONOMIC

##### FEATURES AND BENEFITS

- High power 0.5hp (410W) with excellent control by teasing throttle handle
- high Ergonomic with compact CP Ergo Wings body, Low Noise and Low vibrations
- High quality industrial pistol drill with 3/8" (10 mm) to 1/2" (13 mm) Jacobs industrial keyed capacity chuck
- Versatile with a forward-reverse switch for easier drilling, reaming, tapping.



900 RPM



### CP1114R09

### CP9791C

Same features as CP9789C with keyless chuck

### CP1114R05 ATEX

Same features as CP1114R05 in ATEX version

### CP1114R09

Same features as CP1114R05 with 900 rpm

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD		VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS. ISO 15744 - dB(A)		AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k		in.		
CP9789C	8941097890	840	0.47	350	1/2	13	10.3	14	3.09	1.4	10.43	265	-	-	<2,5	-	88.3	99.3	1/4	
CP9791C	8941097910	840	0.47	350	1/2	13	10.3	14	3.09	1.4	10.43	265	-	-	<2,5	-	88.3	99.3	1/4	
CP1114R05	6151580310	500	0.55	410	1/2	13	18.6	25.2	2.87	1.3	8.46	215	25	12	2.6	8.5	82	93	1/4	
CP1114R05 ATEX	6151580380	500	0.55	410	1/2	13	18.6	25.2	4.41	2	10.95	278.1	25	12	2.6	8.5	82	93	1/4	
CP1114R09	6151580320	900	0.54	400	1/2	13	12.4	16.8	3.97	1.8	10.24	260	25	12	3.6	11.8	82	93	1/4	

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.



# Drills

## Specific Drills



2,100 RPM



### CP887C

#### HIGH COMFORT & HANDLING

##### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip for high comfort & handling
- Compact low profile head to get into confined spaces (high quality industrial Jacobs® chucks for longer use)
- Lock-off throttle for more controlled applications
- Built-in Forward – Reverse ring for easier operations
- Handle exhaust allowing the air to flow away from the operator



2,000 RPM



### CP879C

#### HIGH COMFORT & HANDLING

##### FEATURES AND BENEFITS

- Composite housing with thermoplastic rubber handle grip for high comfort & handling
- Compact low profile head to get into confined spaces (high quality industrial Jacobs® chucks for longer use)
- Lock-off throttle for more controlled applications
- Built-in Forward – Reverse ring for easier operations
- Handle exhaust allowing the air to flow away from the operator



800 RPM



### CP1816

#### HIGH POWER, DURABILITY, D-HANDLE

##### FEATURES AND BENEFITS

- Powerful 1 Hp (750 W) Air motor for intensive application
- Ergonomic with a D-Handle
- Versatile with a 5/8" (16 mm) chuck capacity
- Excellent durable gearbox ensures the strong drilling

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD		VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.		
<b>CP887C</b>	<b>8941008870</b>	2,100	0.4	300	3/8	10	3.8	5.1	2.43	1.1	9.25	235	-	-	<2.5	-	82.7	93.7	1/4	
<b>CP879C</b>	<b>8941008790</b>	2,000	0.35	260	3/8	10	3.2	4.4	2.65	1.2	8.58	218	-	-	<2.5	-	80.6	91.6	1/4	
<b>CP1816</b>	<b>6151580300</b>	800	1.01	750	5/8	16	25.3	34.3	8.16	3.7	14.33	364	42	20	-	-	90	101	3/8	

All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

## Corner Drills & T handle drills



140 RPM



### CP1720R50

**HIGH TORQUE, COMPACT, DURABILITY & PRECISION**

**FEATURES AND BENEFITS**

- Highest power with a durable and powerfull Air motor.
- Fast with high free speed
- High capacity reversible corner drill
- Excellent durable gearbox ensures the strong drilling



480 RPM



### CP1820R22

**HIGHEST POWER, DURABILITY & PRECISION, REVERSIBLE**

**FEATURES AND BENEFITS**

- Highest power with a durable and powerfull Air motor 1.2 Hp (890 W) or 2.8 Hp (2100 W).
- Fast with high free speed
- High capacity reversible corner drill
- Excellent durable gearbox ensures the strong drilling



380 RPM



### CP1820R32

### CP1720R32

Same feature as CP1720R50 with a chuck capacity of 32mm and 350rpm.

### CP1720R22

Same feature as CP1720R50 with a chuck capacity of 22mm and 430 rpm.

See accessories page 166

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		STALL TORQUE		NET WEIGHT		LENGTH		AIR CONS. @LOAD	VIBRATION LEVEL ISO 28927 (M/S <sup>2</sup> )		SOUND PRESS.	SOUND POWER	AIR INLET
		rpm	hp	W	in.	mm	ft.lb	Nm	lbs	kg	in.	mm	cfm.	l/s	a	k	ISO 15744 - dB(A)	in.	
CP1820R32	6151580290	380	2.82	2100	1-1/4	32	145	196	31.9	14.5	13.9	353	110	53	2.5	8.2	110	121	1/2
CP1820R22	6151580280	480	1.19	890	7/8	22	57.8	78.4	16	7.3	11.1	282	42	20	3.8	12.5	98	109	1/2
CP1720R50	6151580270	140	2.19	1600	2	50	289	392	35.2	16	23.43	595	80	38	-	-	107	118	1/2
CP1720R32	6151580260	350	2.19	1600	1-1/4	32	131	177	29.7	13.5	22.76	578	63	30	-	-	104	115	1/2
CP1720R22	6151580250	430	1.19	890	7/8	22	59.3	80.4	15.4	7	18.58	472	53	25	-	-	106	117	1/2






All models: Hose int. 3/8" (10mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

# Drills accessories



## ACCESSORIES INCLUDED

### CHUCKS

	ACCESSORY'S MODEL	ACCESSORY'S DESCRIPTION	THREAD	MIN CAPACITY (mm)	MAX CAPACITY (mm)	MIN CAPACITY (in)	MAX CAPACITY (in)	ACCESSORY'S PART NUMBER
	CP1014P24/33/45	Chuck & Key	3/8"-24	0,7	6	1/35"	1/4"	<b>2050555863</b>
		Key						<b>2050555873</b>
	CP1014P05	Chuck & Key	3/8"-24	1	10	1/32"	3/8"	<b>C142408</b>
	CP785							
	CP1117P	Key						<b>CA050120</b>
	CP789R..							
	CP1117P	Chuck & Key	3/8"-24	1	13	1/32"	1/2"	<b>S066095</b>
	CP785H							
	CP789R	Key						<b>CA050122</b>
	CP1014P...	Keyless chuck	3/8"-24	1,5	10	1/16"	3/8"	<b>2050502073</b>
	CP785							
	CP1117P							
	CP789R...							
	CP1117P...	Keyless chuck	3/8"-24	1,5	13	1/16"	1/2"	<b>2050502063</b>
	CP789R...							
	CP1114R05/09	Chuck & Key	3/8"-24	1	13	1/32"	1/2"	<b>8940174027</b>
		Key						<b>8940174029</b>
	CP1114R26/40	Chuck & Key	3/8"-24	1	13	1/32"	1/2"	<b>8940174028</b>
		Key						<b>8940174029</b>

## OPTIONAL ACCESSORIES

### CHUCKS

	ACCESSORY'S MODEL	ACCESSORY'S DESCRIPTION	THREAD	MIN CAPACITY (mm)	MAX CAPACITY (mm)	MIN CAPACITY (in)	MAX CAPACITY (in)	ACCESSORY'S PART NUMBER
	CP1014P...	Chuck & Key	3/8"-24	0,5	6	1/64"	1/4"	<b>8940170364</b>
	CP1117P...							
	CP785H	Chuck & Key	3/8"-24	1,5	13	1/16"	1/2"	<b>8940170366</b>
	CP789HR...							
	CP1114R26/40	Chuck						
		Key						<b>S066095</b>
								<b>CA050122</b>
	CP1114R05/09	Keyless chuck	3/8"-24	1,5	13	1/16"	1/2"	<b>2050502073</b>
	CP1114R26/40	Keyless chuck						10

### SUSPENSION BALL



TOOL'S MODEL	ACCESSORY'S DESCRIPTION	MAINTENANCE KIT
CP1014P...	Suspension Ball	<b>2050555853</b>
CP1114R..	Suspension Ball	<b>473153</b>
CP1117R...	Suspension Ball	<b>8940168729</b>

### SIDE HANDLE



TOOL'S MODEL	ACCESSORY'S DESCRIPTION	MAINTENANCE KIT
CP1014P05	Handle fixture	<b>2050555883</b>
	Handle	<b>2050552473</b>
CP1114R05/09	Side fixture and handle	<b>8940174061</b>
CP1114R05/09	Handle fixture	<b>2050552463</b>
	Handle	<b>2050552473</b>
CP785H	Handle fixture	<b>CA146179</b>
	CP789HR	Handle

### TUNE UP KIT



TOOL'S MODEL	MAINTENANCE KIT	SMALL PARTS KIT
CP1014P...	<b>2050555513</b>	
CP1114R	<b>8940174059</b>	
CP1117P...	<b>2050552333</b>	
CP1720R22	<b>8940170561</b>	
CP1720R32/R50	<b>8940170580</b>	
CP1816	<b>8940170380</b>	
CP1820R22	<b>8940170656</b>	
CP1820R32	<b>8940170672</b>	
CP1720R50	<b>8940170580</b>	
CP9285C & CP9287C	<b>8940175286</b>	
CP9790C & CP9792C	<b>8940175273</b>	<b>8940175272</b>
CP879C	<b>8940175403</b>	<b>8940175410</b>
CP9286C & CP9288C	<b>8940175281</b>	<b>8940175280</b>
CP9789C & CP9791C	<b>8940175273</b>	<b>8940175259</b>
CP887C	<b>8940175403</b>	<b>8940175402</b>